

- Gray, J. S., Wu, R. S. S., & Or, Y. Y. (2002). Effects of hypoxia and organic enrichment on the coastal marine environment. *Marine Ecology Progress Series*, 238, 249-279. <https://doi.org/10.3354/meps238249>
- Katsanevakis, S. (2006). Population ecology of the endangered fan mussel *Pinna nobilis* in a marine lake. *Endangered Species Research*, 1, 51-59. <https://doi.org/10.3354/esr001051>
- Katsanevakis, S. (2007). Growth and mortality rates of the fan mussel *Pinna nobilis* in Lake Vouliagmeni (Korinthiakos Gulf, Greece): a generalized additive modelling approach. *Marine Biology*, 152, 1319-1331. <https://doi.org/10.1007/s00227-007-0781-2>
- Katsanevakis, S., Tsirintanis, K., Tsaparis, D., Doukas, D., Sini, M., Athanassopoulou, F., Nikolaos Kolygas, M., Tontis, D., Koutsoubas, D., & Bakopoulos, V. (2019). The cryptogenic parasite *Haplosporidium pinnae* invades the Aegean Sea and causes the collapse of *Pinna nobilis* populations. *Aquatic Invasions*, 14(2), 150-164. <https://doi.org/10.3391/ai.2019.14.2.01>
- Kožul, V., Glavić, N., Bolotin, J., & Antolović, N. (2011). The experimental rearing of fan mussel *Pinna nobilis* (Linnaeus, 1758). *Proceedings of the 46th Croatian and 6th International Symposium on Agriculture*, Croatia. pp. 803-806.
- Natalotto, A., Maisano, M., Mauceri, A., & Deudero, S. (2015). Biomarkers of environmental stress in gills of *Pinna nobilis* (Linnaeus 1758) from Balearic Island. *Ecotoxicology and Environmental Safety*, 122, 9-16. <https://doi.org/10.1016/j.ecoenv.2015.06.035>
- Nebot-Colomer, E., Álvarez, E., Belando, M. D., Deudero, S., Catanese, G., Bernardeau-Esteller, J., García-Muñoz, R., Ramos-Segura, A., Ruiz, J. M., & Vázquez-Luis, M. (2021). Living under threat: Will one of the last *Pinna nobilis* populations be able to survive?. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 2021, 1-13. <https://doi.org/10.1002/aqc.3738>
- Öndes, F., Alan, V., Akçalı, B., & Güçlüsoy, H. (2020a). Mass mortality of the fan mussel, *Pinna nobilis* in Turkey (eastern Mediterranean). *Marine Ecology*, 41(5), e12607. <https://doi.org/10.1111/maec.12607>
- Öndes, F., Kaiser, M. J., & Güçlüsoy, H. (2020b). Human impacts on the endangered fan mussel, *Pinna nobilis*. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 30(1), 31-41. <https://doi.org/10.1002/aqc.3237>
- Pellegrini, D., Giuliani, S., Sonni, C., Virno Lamberti, C. (2003). Interazione tra aggregati metafitici e popolamenti zoobentonici tirrenici (Gorgonacei). In: ICRAM – Ministero dell’Ambiente, Programma di monitoraggio e studio sui processi di formazione delle mucillagini nell’Adriatico e nel Tirreno (MAT). *Rapporto finale MAT*, 2, 185-200.
- Prado, P., Andree, K. B., Trigos, S., Carrasco, N., Caiola, N., García-March, J. R., Tena, J., Fernández-Tejedor, M., & Carella, F. (2020). Breeding, planktonic and settlement factors shape recruitment patterns of one of the last remaining major population of *Pinna nobilis* within Spanish waters. *Hydrobiologia* 847(3), 771-786. <https://doi.org/10.1007/s10750-019-04137-5>
- Precali, R., Giani, M., Marini, M., Grilli, F., Ferrari, C. R., Pecar, O., & Paschini, E. (2005). Mucilaginous aggregates in the northern Adriatic in the period 1999-2002: Typology and distribution. *Science of the Total Environment*, 353(1-3), 10-23. <https://doi.org/10.1016/j.scitotenv.2005.09.066>
- Rabaoui, L., Tlig-Zouari, S., Cosentino, A., & Hassine, O. K. B. (2009). Associated fauna of the fan shell *Pinna nobilis* (Mollusca: Bivalvia) in the northern and eastern Tunisian coasts. *Scientia Marina*, 73(1), 129-141. <https://doi.org/10.3989/scimar.2009.73n1129>
- Riedel, B., Pados, T., Pretterebner, K., Schiemer, L., Steckbauer, A., Haselmair, A., Zuschin, M., & Stachowitsch, M. (2014). Effect of hypoxia and anoxia on invertebrate behaviour: ecological perspectives from species to community level. *Biogeosciences*, 11(6), 1491-1518. <https://doi.org/10.5194/bg-11-1491-2014>
- Rinaldi, A., Vollenweider, R. A., Montanari, G., Ferrari, C. R., & Ghetti, A. (1995). Mucilages in Italian seas: the Adriatic and Tyrrhenian Seas, 1988-1991. *Science of the Total Environment*, 165(1-3), 165-183. [https://doi.org/10.1016/0048-9697\(95\)04550-K](https://doi.org/10.1016/0048-9697(95)04550-K)
- Rouanet, E., Trigos, S., & Vicente, N. (2015). From youth to death of old age: the 50-year story of a *Pinna nobilis* fan mussel population at Port-Cros Island (Port-Cros National Park, Provence, Mediterranean Sea). *Scientific Reports of Port-Cros National Park*, 29(1), 209-222.
- Ruitton, S., & Lefebvre, C. (2021). Toward a recovery of the pen shell *Pinna nobilis* in the French Mediterranean open sea?. *Scientific Reports of the Port-Cros National Park*, 35, 429-434.
- Savun-Hekimoğlu, B., & Gazioglu, C. (2021). Mucilage problem in the semi-enclosed seas: recent outbreak in the Sea of Marmara. *International Journal of Environment and Geoinformatics*, 8(4), 402-413. <https://doi.org/10.30897/ijgeo.955739>
- Schiaparelli, S., Castellano, M., Povero, P., Sartoni, G., & CattaneoVietti, R. (2007). A benthic mucilage event in North-Western Mediterranean Sea and its possible relationships with the summer 2003 European heatwave: short term effects on littoral rocky

- assemblages. *Marine Ecology*, 28(3), 341-353. <https://doi.org/10.1111/j.1439-0485.2007.00155.x>
- Simide, R., Covray, S., & Vicente, N. (2019). *Présence de Pinna nobilis* (L. 1758) dans l'étang littoral de Diana (Corse) [Presence of *Pinna nobilis* (L. 1758) in the littoral pond of Diana (Corsica)]. *Marine Life*, 2019, 1-4.
- Stachowitsch, M. (1980). The Epibiotic and Endolithic Species Associated with the Gastropod Shells inhabited by the Hermit Crabs *Paguristes oculatus* and *Pagurus cuanensis*. *Marine Ecology*, 1(1), 73-101. <https://doi.org/10.1111/j.1439-0485.1980.tb00223.x>
- Stachowitsch, M., Fanuko, N., & Richter, M. (1990). Mucus aggregates in the Adriatic Sea: An overview of stages and occurrences. *Marine Ecology*, 11(4), 327-350. <https://doi.org/10.1111/j.1439-0485.1990.tb00387.x>
- Tebble, N. (1966). *British bivalve seashells*. British Museum.
- Vázquez-Luis, M., Álvarez, E., Barrajón, A., García-March, J. R., Grau, A., Hendriks, I. E., Jiménez, S., Kersting, D., Moreno, D., Pérez, M., Ruiz, J. M., Sánchez, J., Villalba, A., & Deudero, S. (2017). S.O.S. *Pinna nobilis*: A mass mortality event in Western Mediterranean Sea. *Frontiers in Marine Science*, 4, 220. <https://doi.org/10.3389/fmars.2017.00220>
- Vicente, N., de Gaulejac, B., & Avon, M. (2002). *Pinna nobilis* biological indicator of the Mediterranean littoral quality. Proceedings of the Premier Séminaire International Sur La Grande Nacre de Méditerranée: *Pinna nobilis*. Île des Embiez Var, France. pp. 111-126.
- Yentur, R. E., Buyukates, Y., Ozen, O., & Altin, A. (2013). The environmental and socio-economical effects of a biologic problem: Mucilage. *Marine Science and Technology Bulletin*, 2(2), 13-15.
- Zavodnik, D., Hrs-Brenko, M., & Legac, M. (1991). Synopsis on the fan shell *Pinna nobilis* L. in the eastern Adriatic Sea. In: C. F. Boudouresque, M. Avon, & V. Gravez (Eds.), *Les Espèces Marines à Protéger en Méditerranée* (pp. 169-178). GIS Posidonie Publishing.
- Zotou, M., Gkrantounis, P., Karadimou, E., Tsirintanis, K., Sini, M., Poursanidis, D., Azzolin, M., Dailianis, T., Kytinou, E., Issaris, Y., Gerakaris, V., Salomidi, M., Lardi, P., Ramfos, A., Akrivos, V., Spinos, E., Dimitriadis, C., Papageorgiou, D., Lattos, A., Giantsis, I., Michaelidis, B., Vassilopoulou, V., Miliou, A., & Katsanevakis, S. (2020). *Pinna nobilis* in the Greek seas (NE Mediterranean): on the brink of extinction?. *Mediterranean Marine Science*, 21(3), 575-591. <https://doi.org/10.12681/mms.23777>

External Links

- URL-1. <https://youtu.be/OAeoPHISh-Y>
- URL-2. <https://youtu.be/NMcGOMt-7NY>
- URL-3. <https://youtu.be/QiJ- -Uurlc>
- URL-4. <https://youtu.be/F1NBga3mFgM>