















- Einarsson, Á., & Óladóttir, D. (2020). *Fisheries and aquaculture: The food security of the future*. Academic Press. <https://doi.org/10.1016/C2019-0-02984-6>
- El-Dakar, Y., Shalaby, A., & Abd Elmonem, A. (2015). Growth performance and feed utilization of hybrid red tilapia, *Oreochromis niloticus* (Linnaeus) x *Oreochromis mosambicus* (Peters) fed different dietary protein and energy levels under rearing in seawater conditions. *Mediterranean Aquaculture Journal*, 7(1), 12-21. <https://doi.org/10.21608/maj.2015.4629>
- Eroldoğan, O. T., Glencross, B., Novoveska, L., Gaudêncio, S. P., Rinkevich, B., Varese, G. C., Carvalho, F., Tasdemir, D., Safarik, I., Nielsen, S. L., Rebours, C., Lada, L. B., Robbens, J., Strode, E., Haznedaroğlu, B. Z., Kotta, J., Evliyaoğlu, E., Oliveira, J., Girão, M., ... Rotter, A. (2023). From the sea to aquafeed: A perspective overview. *Reviews in Aquaculture*, 15(3), 1028-1057. <https://doi.org/10.1111/raq.12740>
- Ferris, D. A., & Shanklin, C. W. (1993). Cost of alternative methods of disposal of food waste in a university food service operation. *National Association of College and University Food Service Journal*, 26(10), 49-56.
- Foroutani, M., Parrish, C., Wells, J., Taylor, R., Rise, M., & Shahidi, F. (2018). Minimizing marine ingredients in diets of farmed Atlantic salmon (*Salmo salar*): Effects on growth performance and muscle lipid and fatty acid composition. *PLOS ONE*, 13(9), e0198538. <https://doi.org/10.1371/journal.pone.0198538>
- Glencross, B., Fracalossi, D. M., Hua, K., Izquierdo, M., Mai, K., Øverland, M., Robb, D., Roubach, R., Schrama, J., Small, B., Tacon, A., P. Valente, L. M., Viana, T., Xie, S., & Yakupityage, A. (2023). Harvesting the benefits of nutritional research to address global challenges in the 21st century. *Journal of the World Aquaculture Society*, 54(2), 343–363. <https://doi.org/10.1111/jwas.12948>
- Gudbrandsdóttir, I. Y., Saviolidis, N. M., Olafsdóttir, G., Oddsson, G. V., Stefansson, H., & Bogason, S. G. (2021). Transition pathways for the farmed salmon value chain: Industry perspectives and sustainability implications. *Sustainability*, 13(21), 12106. <https://doi.org/10.3390/su132112106>
- Guo, J., Swanepoel, A., Qiu, X., Reis, J., Rhodes, M., & Davis, D. (2019). Use of salmon by-product meals as a replacement for anchovy meal in practical diets for the Pacific white shrimp (*Litopenaeus vannamei*). *Aquaculture Nutrition*, 26(2), 490–501. <https://doi.org/10.1111/anu.13011>
- Hardy, R. W., Kaushik, S. J., Mai, K., & Bai, S. C. (2022). Fish nutrition—History and perspectives. *Fish Nutrition*. Academic Press. <https://doi.org/10.1016/C2018-0-03211-9>
- Henriksen, A. (2020). Fishery by-products, *Calanus finmarchicus* and mesopelagic fish species as alternatives to fishmeal and fish oil in feeds for Atlantic salmon (*Salmo salar* L). [MSc. Thesis. Norwegian University of Science and Technology].
- Hossen, M., Das, M., Sumi, K., & Hasan, M. (2013). Effect of storage time on fish feed stored at room temperature and low temperature. *Progressive Agriculture*, 22(1–2), 115–122. <https://doi.org/10.3329/pa.v22i1-2.16473>
- Kokkali, M. (2023). Optimisation of trace mineral supplementation in diets for atlantic salmon smolt with reference to holistic fish performance in terms of growth, health, welfare, and potential environmental impacts. *Frontiers in Physiology*, 14, 1214987. <https://doi.org/10.3389/fphys.2023.1214987>
- Lall, S. P., & Dumas, A. (2022). Nutritional requirements of cultured fish: Formulating nutritionally adequate feeds (pp. 65-132). In A. Davis (Ed.), *Feed and Feeding Practices in Aquaculture (Second edition)*. Woodhead Publishing. <https://doi.org/10.1016/B978-0-12-821598-2.00005-9>



- Lam, V. W., Allison, E. H., Bell, J. D., Blythe, J., Cheung, W. W., Frölicher, T. L., Gasall, M. A., & Sumaila, U. R. (2020). Climate change, tropical fisheries and prospects for sustainable development. *Nature Reviews Earth & Environment*, 1(9), 440–454. <https://doi.org/10.1038/s43017-020-0071-9>
- Litaay, C., Indriati, A., Sriharti, N., Mayasti, N., Tribowo, R., Andriana, Y., & Andriansyah, R. C. E. (2022). Physical, chemical, and sensory quality of noodles fortification with anchovy (*Stolephorus* sp.) flour. *Food Science and Technology*, 42, e75421. <https://doi.org/10.1590/fst.75421>
- Merrill, A. L., & Watt, B. K. (1973). Energy value of foods, basis and derivation (No: 74-85). Human Nutrition Research Branch, Agricultural Research Service, US Department of Agriculture.
- Mmanda, F., Mulokozi, D., Lindberg, J., Haldén, A., Mtolera, M., Kitula, R., & Lundh, T. (2020). Fish farming in Tanzania: The availability and nutritive value of local feed ingredients. *Journal of Applied Aquaculture*, 32(4), 341–360. <https://doi.org/10.1080/10454438.2019.1708836>
- Moazenzadeh, K., Islami, H., Zamini, A., & Soltani, M. (2017). Dietary zinc requirement of Siberian sturgeon (*Acipenser baerii*, brandt 1869) juveniles, based on the growth performance and blood parameters. *International Aquatic Research*, 9(1), 25-35. <https://doi.org/10.1007/s40071-017-0153-6>
- Nistor, V., Bocioc Sîrbu, E., Dima, F. M., Patriche, N., Athanasopoulos, L. B., Tenciu, M., & Popa, M. D. (2021). Optimization of food rations used for the pre-development of the species *Acipenser baerii* (J.F. Brandt, 1869) in recirculating aquaculture system. *Life Science and Sustainable Development*, 2(1), 68-74. <https://doi.org/10.58509/lssd.v2i1.80>
- Nyong, E. (2014). Effect of storage and anti-nutritional components in stored pelleted fish feed. *International Journal of Science, Technology and Society*, 2(6), 186-189. <https://doi.org/10.11648/j.ijsts.20140206.14>
- Poczyczyński, P., Gomułka, P., Woźniak, M., & Szostak, I. (2014). Preliminary study on the partial substitution of fish oil with amaranth oil in diets for rainbow trout (*Oncorhynchus mykiss*) fingerlings: Effects on body composition and fatty acids contents. *Turkish Journal of Fisheries and Aquatic Sciences*, 14(2), 343–350. <https://doi.org/10.4194/1303-2712-v14 2 16>
- Samira, H., & Mehrgan, M. (2015). The effect of replacing fishmeal in the diet with enzyme-treated soybean meal (HP310) on growth and body composition of rainbow trout fry. *Molecules*, 20(12), 21058–21066. <https://doi.org/10.3390/molecules201219751>
- Sandström, V., Chrysafi, A., Lamminen, M., Troell, M., Jalava, M., Piipponen, J., Siebert, S., van Hal, O., Virkki, V., & Kumm, M. (2022). Food system by-products upcycled in livestock and aquaculture feeds can increase global food supply. *Nature Food*, 3(9), 729–740. <https://doi.org/10.1038/s43016-022-00589-6>
- Suparmi, S., Sumarto, S., Afriana, U., & Hidayat, T. (2022). Utilization of biang fish flour (*Ilisha elongata*) as an enrichment material for sago noodles nutrient value. *International Journal of Biomaterials*, 2022(1), 8746296. <https://doi.org/10.1155/2022/8746296>
- Tadesse, A. (2023). Optimization of fish and plant production in tilapia-spinach aquaponics systems using black soldier fly larvae meal and mineral supplementation. *Helix*, 6(1), 1–34. <https://doi.org/10.59411/mvxf3229>
- Tugiyono, Febryano, I., Puja, Y., & Suharso. (2020). Utilization of fish waste as fish feed material as an alternative effort to reduce and use waste. *Pakistan Journal of Biological Sciences*, 23(5), 701-707. <https://doi.org/10.3923/pjbs.2020.701.707>
- Villasante, A., Catalán, N., Opazo, R., Dantagnan, P., & Romero, J. (2019). Effect of dietary carbohydrate-to-protein ratio on gut microbiota in Atlantic salmon (*Salmo salar*). *Animals*, 9(3), 89. <https://doi.org/10.3390/ani9030089>

- Wade, N., Skiba-Cassy, S., Dias, K., & Glencross, B. (2013). Postprandial molecular responses in the liver of the barramundi (*Lates calcarifer*). *Fish Physiology and Biochemistry*, 40(2), 427–443. <https://doi.org/10.1007/s10695-013-9854-y>
- Zaman, M. N., Naser, M. N., Abdullah, A. T. M., & Khan, N. (2015). Nutrient contents of some popular freshwater and marine fish species of Bangladesh. *Bangladesh Journal of Zoology*, 42(2), 251-259. <https://doi.org/10.3329/bjz.v42i2.23367>
- Zhu, F., & He, Y. (2011). Study on mid-infrared transmittance spectroscopy for fast measurement of crude fat content in fish feeds based on BPNN and LS-SVM. *Key Engineering Materials*, 460–461, 816–820. <https://doi.org/10.4028/www.scientific.net/kem.460-461.816>